

# WebFOCUS

WebFOCUS Fixed-In Report  
Release 8.2 Version 03

January 11, 2019

Active Technologies, EDA, EDA/SQL, FIDEL, FOCUS, Information Builders, the Information Builders logo, iWay, iWay Software, Parlay, PC/FOCUS, RStat, Table Talk, Web390, WebFOCUS, WebFOCUS Active Technologies, and WebFOCUS Magnify are registered trademarks, and DataMigrator and Hyperstage are trademarks of Information Builders, Inc.

Adobe, the Adobe logo, Acrobat, Adobe Reader, Flash, Adobe Flash Builder, Flex, and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Due to the nature of this material, this document refers to numerous hardware and software products by their trademarks. In most, if not all cases, these designations are claimed as trademarks or registered trademarks by their respective companies. It is not this publisher's intent to use any of these names generically. The reader is therefore cautioned to investigate all claimed trademark rights before using any of these names other than to refer to the product described.

Copyright © 2018, by Information Builders, Inc. and iWay Software. All rights reserved. Patent Pending. This manual, or parts thereof, may not be reproduced in any form without the written permission of Information Builders, Inc.

# Contents

---

|                                    |          |
|------------------------------------|----------|
| <b>1. Fixed-In List</b> .....      | <b>5</b> |
| Active Technologies .....          | 5        |
| Administration Console .....       | 5        |
| App Studio .....                   | 6        |
| Environments.....                  | 6        |
| General Functionality.....         | 6        |
| HTML Canvas.....                   | 6        |
| Report Development.....            | 7        |
| Autoprompt .....                   | 8        |
| Business Intelligence Portal ..... | 8        |
| Change Management .....            | 9        |
| Charting .....                     | 9        |
| Home Page .....                    | 9        |
| InfoAssist .....                   | 9        |
| Installation .....                 | 10       |
| ReportCaster .....                 | 10       |
| General Functionality.....         | 10       |
| Schedules.....                     | 10       |
| Reporting .....                    | 10       |
| Security .....                     | 11       |



## Fixed-In List

---

This topic provides descriptions of the fixes for WebFOCUS Release 8.2 Version 03.

### In this chapter:

- [Active Technologies](#)
  - [Administration Console](#)
  - [App Studio](#)
  - [Autoprompt](#)
  - [Business Intelligence Portal](#)
  - [Change Management](#)
  - [Charting](#)
  - [Home Page](#)
  - [InfoAssist](#)
  - [Installation](#)
  - [ReportCaster](#)
  - [Reporting](#)
  - [Security](#)
- 

### Active Technologies

**The following are descriptions of fixes for Active Technologies in Release 8.2 Version 03.**

- Active reports with a COMPUTE field formatted as a percentage display the percent sign as &#x25 when the output is exported to Excel. (21383540)
- At design time, when applying sorting on an AHTML chart to display the highest top 20 values, and the amount of dimension values is large, the message Too Many Data points(max:1000) is displayed at run time. (171121019)

### Administration Console

**The following are descriptions of fixes for the Administration Console in Release 8.2 Version 03.**

- Viewing chart extensions in the Administration Console results in errors. Some charts that are not translated to other languages result in Java exceptions.
- Japanese characters are garbled in the event.log of the Administration Console in a SJIS environment. (171122001)

## App Studio

**The following are descriptions of fixes for App Studio in Release 8.2 Version 03.**

### Environments

**The following is a description of a fix for environments in App Studio Release 8.2 Version 03:**

- When App Studio is configured for HTTPS and accesses a WebFOCUS environment configured for HTTPS, the following error occurs: Error Code: SEC\_ERROR\_UNKNOWN\_ISSUER (171003081)

### General Functionality

**The following are descriptions of the fixes for general functionality in App Studio Release 8.2 Version 03:**

- When using the new Microsoft SQL Server ODBC adapter, the View Generated SQL button on the View tab is unavailable and grayed out. (180129001)
- The Publish/Unpublish sub-menu option is not available when you select multiple FOCXECs. (180207078)
- Using the Match Wizard from the Procedure View crashes App Studio. (180315019)

### HTML Canvas

**The following are descriptions of the fixes for the HTML canvas in App Studio Release 8.2 Version 03:**

- A parameter report with a Single source Tree control displays an empty tree at design and run time. (170828001)
- Blank spaces can be added to both the name and unique identifier properties for objects in an HTML page. (170919077)
- Selecting a single option on a multi-select filter on an HTML page in a portal causes an error to occur. (171206058)
- Running an Excel report from an HTML page after running it as a PDF report results in a WebFOCUS error. (180117088)
- User cannot switch between tab containers after submitting a value in a responsive HTML page, if the HTML page is a component of an output widget. (180319045)

- ❑ The HTML selection and validation red frame is incorrectly sized for the control, depending on the height and width of the control. (171218001)
- ❑ When an HTML document is saved with non-latin1 characters, it produces an error at run time. (180115017)
- ❑ When inserting a report that requires three or more parameters onto the HTML canvas, if a user does not want to use the New Parameters dialog to create the form or controls, an unwanted 'panel1 <DIV>' is inserted on to the canvas. (20483531)
- ❑ Double Click and Value Changed customselect1\_selectto event listeners do not work as expected. (171116094)
- ❑ The responsive filter panel shows incorrect date formats sent from calendar controls. (180115016)
- ❑ Dynamic check box values display with additional spaces. (180209002)
- ❑ When upgrading an HTMFoRM from Developer Studio to App Studio, the request does not reflect the unique identifier name for the frame. (170111022, 170614048)
- ❑ When deleting a container in the Utilities tab, it leaves a partial container that cannot be removed. (170808001)
- ❑ Moved the Radio button position to the right of the associated image. (180308011)

## Report Development

**The following are descriptions of the fixes for developing reports in App Studio Release 8.2 Version 03:**

- ❑ Unable to create or edit a COMPUTE field in a precision report through the Object Inspector menu. (180130028)
- ❑ To allow easy change for regional date display for date related system &VARs, an operator .DATE\_LOCALE has been added to have DATE\_ORDER and DATE\_SEPARATOR affect the resulting value. TIME\_SEPARATOR set affects display of time across the board. (12333006)
- ❑ The EDASERVE application folder tree lists baseapp twice. (180226063)
- ❑ In Maintain Data, calling an external procedure from another procedure results in a server error. (180305094)
- ❑ When executing a Maintain Data application, Master Files in the sub-directory of a domain folder cannot be found. (180307058)

- ❑ The default date for a MDYY field displays as 12/31/2969. (180205011)
- ❑ Using relative reference to include a file works in the BI Portal, but fails using App Studio. Using -INCLUDE ./fex2.fex within App Studio results in the following error: Invalid path ./fex2.fex (171228003)
- ❑ User receives an error opening a FOCEXEC with the MORE syntax. (180221012, 180312010)
- ❑ The Master File generated by a report that has cube-related attributes, with ON TABLE HOLD AS MYHOLD FORMAT SAME\_DB, is missing the cube-related attributes. (171128009)

## Autoprompt

### **The following are descriptions of fixes for autoprompt in WebFOCUS in Release 8.2 Version 03.**

- ❑ Request with optional simple parameter on a numeric field returns an error: '\_FOC\_NULL' is not a valid WebFOCUS numeric data. (160808035, 180115040)
- ❑ Both Responsive and HTML Autoprompt pages result in an Internal Exception processing error when a parameter is assigned a null default value (-DEFAULT &PARM = '') and is referenced in a dynamic multi-select filter. (171108055)
- ❑ Performance for Autoprompt loading of dynamic parameter values degrades by one second when the volume of Master Files is increased by 1000 in the APP PATH when using Page Designer. (180403018)
- ❑ Running a request from the Autoprompt page without specifying a value for an optional simple filter for a date field returns the following error: There are too many parts to this date - WebFOCUS format is '*format of field*' (180309027)

## Business Intelligence Portal

### **The following are description of the fixes for Business Intelligence Portal in Release 8.2 Version 03.**

- ❑ If a portal has multiple pages that contain HTML5 charts, when switching between those pages, the charts lose their tooltips and/or drilldowns in Internet Explorer 11. (171205060)
- ❑ Deleted item still shows in the Resources tree if the item was deleted using the Delete key on the keyboard. (171012078)



- ❑ The *About WebFOCUS* text is truncated when using the Google Chrome browser and signed in to WebFOCUS with the Japanese language selected. (180111001)
- ❑ The domain path is not respected when a shortcut is made to the Master File within a domain from the My Content folder. (170524006)

## Change Management

**The following is a description of a fix for change management in WebFOCUS in Release 8.2 Version 03.**

- ❑ Removing an item in the Scenario dialog box does not enable the Save button. (180125004)

## Charting

**The following is a description of a fix for charting in WebFOCUS in Release 8.2 Version 03.**

- ❑ Lines that exceed the bounds of the chart container in a line chart should be clipped. (170927021, 171030005)

## Home Page

**The following is a description of a fix for the WebFOCUS Home Page in Release 8.2 Version 03.**

- ❑ The Edit option is not available from the Home page for reports and charts created with InfoAssist Basic. (180802065)

## InfoAssist

**The following are descriptions of the fixes for InfoAssist in Release 8.2 Version 03.**

- ❑ Quick Data does not retrieve Master Files from subfolders when the APP PATH is set at the domain folder properties. (170609004)
- ❑ Quick Data retrieves Reporting Server system Master Files. (180110084)
- ❑ An excluded filter is not visible after migrating a report from Release 7.7 Version 05 and opening it in Release 8.x InfoAssist. (30153512)

- ❑ Selecting an Auto Link Target for a Japanese column data, results in the user being prompted for a parameter when the Japanese column data value should be passed to the Auto Link Target.

## Installation

**The following is a description of a fix for installation in WebFOCUS in Release 8.2 Version 03.**

- ❑ WebFOCUS repository creation fails when using MS SQL Server 2008 caused by the use of the CONCAT command. (180208022, 180309068)

## ReportCaster

**The following are descriptions of fixes for ReportCaster in Release 8.2 Version 03.**

### General Functionality

**The following are descriptions of fixes for general functionality for ReportCaster Release 8.2 Version 03.**

- ❑ Compression of files larger than four gigabytes produces a corrupt zip file. (180214083)
- ❑ Unable to configure Workload Distribution. (180214068)

### Schedules

**The following is a description of a fix for schedules in ReportCaster Release 8.2 Version 03.**

- ❑ When a report is sent as inline, it appears as an attachment in Microsoft Office 2016. (180129070, 180206007)

## Reporting

**The following are descriptions of fixes for reporting in WebFOCUS in Release 8.2 Version 03.**

- ❑ Request using the OVER command to stack fields and styling that includes BORDER=LIGHT, and alternating BACKCOLOR on data creates a report with incomplete borders. (63492505)
- ❑ When using the Sample Data option to generate the InfoAssist preview, data columns will sometimes overlap or appear too closely spaced together depending upon font, size, and style. (170406026, 161005026)

- ❑ Running a PDF report that uses macros with an image object in the stylesheet causes random server crashes. (180212003)
- ❑ When a report with the OLAP panel accessible option is run in a Japanese NLS and NLV environment, an HTTP 400 error displays at the button of the report. (180312076)
- ❑ Executing a precision report several times against a HOLD file that contains SET NEWLAYOUT ON crashes the server agent. (160414047)
- ❑ Reports with BY TOTAL and ACROSS syntax using conditional styling designated by column notation instead of the column name may apply conditional styling to the incorrect columns. (170425004)

## Security

### **The following are descriptions of the fixes for security in WebFOCUS in Release 8.2 Version 03.**

- ❑ Remove the version information from the Ping.jsp file to avoid information disclosure. (170817065)
- ❑ When specifying a clear text password in the webfocus.cfg or install.cfg file on web application startup, an additional character is padded to the encrypted string, rendering the password incorrect. (180110009)
- ❑ After My Content folder ownership is assigned to a group, the Security tab is not available. (180206048)
- ❑ When users belong to a LDAP group that is mapped to a subgroup of the Administrators group, they are not counted towards the InfoAssist licenses, although they can use it. (170818002, 180406024)
- ❑ User cannot save to their My Content Folders or other folders when the folder name contains a period (.). (170925006)
- ❑ Improve display on the Home page for Super Users that sign in and are automatically added. (171220058)





## Feedback

*Customer success is our top priority. Connect with us today!*

---

Information Builders Technical Content Management team is comprised of many talented individuals who work together to design and deliver quality technical documentation products. Your feedback supports our ongoing efforts!

You can also preview new innovations to get an early look at new content products and services. Your participation helps us create great experiences for every customer.

To send us feedback or make a connection, contact Sarah Buccellato, Technical Editor, Technical Content Management at [Sarah\\_Buccellato@ibi.com](mailto:Sarah_Buccellato@ibi.com).

To request permission to repurpose copyrighted material, please contact Frances Gambino, Vice President, Technical Content Management at [Frances\\_Gambino@ibi.com](mailto:Frances_Gambino@ibi.com).



# WebFOCUS

WebFOCUS Fixed-In Report  
Release 8.2 Version 03



**Information  
Builders**

DN4501666.0318

Information Builders, Inc.  
Two Penn Plaza  
New York, NY 10121-2898