



January 23, 2019

Active Technologies, EDA, EDA/SQL, FIDEL, FOCUS, Information Builders, the Information Builders logo, iWay, iWay Software, Parlay, PC/FOCUS, RStat, Table Talk, Web390, WebFOCUS, WebFOCUS Active Technologies, and WebFOCUS Magnify are registered trademarks, and DataMigrator and Hyperstage are trademarks of Information Builders, Inc.

Adobe, the Adobe logo, Acrobat, Adobe Reader, Flash, Adobe Flash Builder, Flex, and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Due to the nature of this material, this document refers to numerous hardware and software products by their trademarks. In most, if not all cases, these designations are claimed as trademarks or registered trademarks by their respective companies. It is not this publisher's intent to use any of these names generically. The reader is therefore cautioned to investigate all claimed trademark rights before using any of these names other than to refer to the product described.

Copyright © 2018, by Information Builders, Inc. and iWay Software. All rights reserved. Patent Pending. This manual, or parts thereof, may not be reproduced in any form without the written permission of Information Builders, Inc.

Contents

1. Fixed-In List	
Active Technologies	5
Administration Console	6
App Studio	
Autoprompt	9
Business Intelligence Portal	
Charting	10
Home Page	
InfoAssist	
ReportCaster	
Reporting	
Security	12
Web Services	



■ Active Technologies

Fixed-In List

This topic provides descriptions of the fixes for WebFOCUS Release 8.2 Version 04. In this chapter:

		Administration Console
		App Studio
		Autoprompt
		Business Intelligence Portal
		Charting
		Home Page
		InfoAssist
		ReportCaster
		Reporting
		Security
		Web Services
Active Tech	nnol	ogies
	The	e following are descriptions of fixes for Active Technologies in Release 8.2 Version 04.
		Traffic Light Conditions are not working with visualizations or AHTML charts. (160804032, 160526099, 20413537, 171110043, 180626029)
		When running an AHTML chart that includes a setFootnoteString command, the footnote will not display. (170522049)

lacksquare Unable to apply conditional styling to a COMPUTE field in an AHTML report using the

COLUMN=FIELDNAME (*) syntax.

C	Column WRAP does not work at run time when there is a TYPE=DATA block referenced in an AHTML procedure. (180423073)	
Administration	on Console	
	The following are descriptions of fixes for the Administration Console in Release 8.2 Version 04.	
C	Changing the Parameter Prompting Self Service setting to Off is not saved when accessing the Administration Console from App Studio. (180423045)	
C	Within the Administration Console, accessing the InfoAssist preference section produces JavaScript errors and changes cannot be saved when there are settings missing in the file that stores the user's InfoAssist preferences. (171206052, 170801090)	
C	Fixed issues related to viewing trace information of a user ID that contains an ampersand (&) character, and removed the following error message: The Value of this Variable is Invalid! 'IBIMON_sessionPath' (180615020)	
C	Allow disabling of Mobile and Portlet zones from the console, even if licensed for those features. (171026029)	
C	Setting the language to German using the Dynamic Language setting incorrectly shows XLSX for Excel 200 Format (XLS) in the Administration Console InfoAssist Properties Format tab. (180726025)	
App Studio		
Т	he following are descriptions of fixes for App Studio in Release 8.2 Version 04.	
C	When loading a PDF report in an iframe, the following error occurs: CSRF failure for POST request	
	Users cannot drag a PDF file into a Web Applications folder. (180312009)	
C	When the output destination is iframe, the file downloaded does not work correctly depending on the Redirect settings and the browser. (171214001, 180605002)	

☐ The Column Width dialog does not maintain the Maximum setting. (30903515)

(31173521, 180621013)

(180615050)

☐ An error is generated when a HOLD file contains a dynamic multi-select or parameter.

☐ The lbComposer_setCurrentSelection function does not work with multi-select lists.

Calendar Control converts values from a text box incorrectly for YYM format when pressing the Tab key. (180114001)
Unable to reflect select calendar dates from one portal page to another. (180604012)
When using the Populate, Hide chaining settings of a calendar control, the calendar text box hides correctly, but the icon is visible. (180614060, 180618065)
HTML embedded in an iframe cannot run a calendar when Cross-Origin Resource Sharing services is set. (180518058)
For some users, when multiple calendar controls are created in an HTML page, not all calendar controls are functional. (180517039)
The Calendar Control image does not render in an HTML page when executed. (180816077, 180821130)
The size of the month drop-down box in a calendar increases vertically when an HTML page is run in Microsoft Edge. (160728003)
InfoWindow does not appear correctly for smaller frames in a portal using Internet Explorer 11. (30493524)
Running an HTML page, making value selections in a check box control, and selecting Reset does not reset the value to All. (180626097)
When passing multiple values for a parameter from one HTML page to another, the quotes are not placed in the right location causing the filters for reports to fail. (170810019, 180102019, 180208001, 180319058)
When a responsive HTML page runs, the order the panels display does not match either the display in the GUI or the order that the objects exist on the page. (170922044)
The tab order on an HTML page containing a double list box stops tabbing. (180626026)
When an HTML file created in release 7.7 is opened in App Studio, the JavaScript function for a check box click event does not work. (180223036)
When importing and opening a report with filters created in Release 8.1.05, the Expression Grid in the Expression Builder is not populated with the filter information. (180611037)
Parameters do not display correctly when the Create default responsive containers option is not selected. (170502069)
The text size set in the Style Composer is not retained in a non-English version of App Studio. (170731087)

The Restore/Maximize functionality does not work at design time for Tab, Accordion, or Window. (180516007)
In the Document canvas, when adding a date to a text box, and then editing the date in the text box, App Studio crashes. (180516098)
Japanese characters are garbled when the Table of Contents is displayed in a Document. (170915001)
Japanese characters are garbled in the App Studio define editor after pressing the Check button to validate the define. (180523001)
The Advanced section of the RECAP dialog box is cut off. (180420007)
The shortcut menu is not available to paste SQL text in the SQL wizard for reports and charts. (180420079)
Show only the server directories from the current domain folder context when adding a new table or creating a new report. (180412035)
When using the EDIT function, if the Enter key is pressed after typing in the mask field, the expression is generated without single quotes. (180423008)
The hyperlink setting for a Multi source Tree control is not applied correctly at run time. (180521002)
Resolved issues at run time when content is loaded from selections in a panel. (181001137, 181003044, 181002127, 181003042)
When entering a negative or non-numeric value in the Tab Index property of an edit box control, and clicking outside of the edit box control, the Tab Index property loses the value. Users can now only enter numbers 1 through 9 for this property.
Setting the Selection & Validation property to Required/validate does not work as expected with a Text Area control. (180427010)
The Submit Query text remains in the edit box control after changing the Type property in the Properties panel back to text. (180517013)
After uploading data using an Excel file, creating a Master File and creating a report, the measure fields do not display in the object inspector. (180607005, 180503038)
A WHERE statement has a second semicolon appended to the end of the line when opened in App Studio. (180523118)

	Responsive Design Framework Custom plugins are not triggered in chaining events. (180503015)
	Custom geographic roles fail to render in an Esri HTML5 component in App Studio. (180627012)
٥	Copying a text file from a UNIX Reporting Server to a Windows desktop will truncate the file by the number of new lines in the file due to new lines being converted to newline/carriage-returns. (170414005)
٠	Charts within a responsive output widget do not populate when run in Chrome or Firefox browsers. (180802077)
	The Menu Item Event handler does not execute in any browsers. (180820044)
٠	The Sort by Value in a Date filter results in script error, but works as expected when Sort by Display is used. (180510061, 180710121, 180723041)
٠	The IbComposer_setCurrentSelection API function is not working in check box controls. (180917025)
	App Studio crashes when creating a new report after changing the redirect setting for HTML/HTM in the mime.wfs file. (170915028)
Autoprompt	
Th 04	ne following are descriptions of fixes for autoprompt in WebFOCUS in Release 8.2 Version 1.
٥	When running request through WebFOCUS Client that has a MFD_PROFILE using a global parameter for the table name and the request issues a JOIN, the Autoprompt page prompts for the global parameter. (180531031)
	When an Autoprompt chained filter field contains apostrophes, the values in the first initial level are correct, but the second level and lower filters in the chain list incorrect values. (170628016)
٥	When the WebFOCUS Client Redirection Settings for PDF are Redirect=No and SaveReport=No, a PDF report run from the Responsive Autoprompt page does not display in Internet Explorer 11 or Firefox browser. (180214057, 180507051, 180710117)
٠	Responsive Autoprompt dynamic list (FIND) on an integer field does not sort values correctly with or without SORT=ASCENDING/DECENDING specified. (180516005, 180614016)

		When a user runs a report created from a Reporting Object and excludes an Optional filter, the Autoprompt page prompts for the excluded filter. (180517069)
Business In	tell	ligence Portal
	Th 04	e following is a description of a fix for Business Intelligence Portal in Release 8.2 Version I.
		On the Legacy Home Page, user receives an error expanding the EDASERVE folder when the name of an object or item, such as a Focexec (*.fex), in the folder is longer than 64 characters. (180419003)
Charting		
	Th	e following are descriptions of fixes for charting in WebFOCUS in Release 8.2 Version 04.
		When running an existing HTML report with TAB controls in a Firefox browser, the second tab does not load due to a compiler error. (170928068)
		Sunburst Extension's color scheme makes it hard to determine the relationship between elements in a hierarchy. (161116005, 170811013)
		In a combo chart with bars and lines, if zero is not included on an automatically-scaling axis, and a bar surpasses a line chart at a certain point, the scale of the axis will be incorrect. The top of the scale will not increase at the same rate as the rest of the scale. (170828038)
Home Page	•	
	Th 04	e following are descriptions of fixes for the WebFOCUS Home Page in Release 8.2 Version I.
		In the report's Favorites property, the Target Path is missing information stating where the original procedure resides. (180531010)
		Content of a procedure is empty when that procedure is cut and pasted from another folder. (180702067)
InfoAssist		
	Th	e following are descriptions of fixes for InfoAssist in Release 8.2 Version 04.
		The Date Standard folder is mislabeled as Standard in the Define and Compute functions list when users session is German. (180617002)

		If a chart is set to use narrative and run with Insight, when changing fields in various buckets, the chart does not refresh when making two or more consecutive selections. (180717133)
		In a filter, date values were incorrectly escaped, causing them to present as missing. (180529013)
		Resolve cross-site scripting vulnerability when URLs are defined within a procedure edited by the text editor. (180619019)
		JavaScript code is inserted into the focexec multiple times when changes are made to the Title in InfoAssist. (180612012)
		Changing the title value for a field to be two consecutive single quotes (BY CAR AS ''), incorrectly displays the title value _FOC_NULL in the preview. (180801049)
ReportCast	er	
	Th	e following are descriptions of fixes for ReportCaster in Release 8.2 Version 04.
		ReportCaster blackout date colors have changed from previous releases. (170530075)
		When pressing the schedule button from an HTML page, if a parameter value contains a percent sign, an HTTP 500 error message displays. (180130009)
		The Distribution Server fails at startup and displays the following error: Failed to run IBFS Cache Cleaner (180507013)
		An authorized group member cannot create or update a schedule in a group owned folder. (180613050, 180620046, 180702008, 180712106)
		A document that contains Regular Expressions, like Wildcards, are not supported with burst FTP distribution. (180507002)
		Changes to a -INCLUDE command in a FOCEXEC are not reflected in a schedule if it is run from a Distribution Server installed separately from the WebFOCUS client. (180412081)
Reporting		
	Th	e following are descriptions of fixes for reporting in WebFOCUS in Release 8.2 Version 04.
		Running an XLSX or EXL2K FORMULA report in combination with the BYTOC feature returns table totals even when ON TABLE NOTOTAL is used. (81702517)

lacktriangle When a cube data source is opened in the Data pane, the dimension hierarchies and COMPUTE fields in the Master File are not displaying correctly. (180221029)

Security

	The NOSPLIT functionality is not working when used in combination with WRAP and large data and it is not retaining the associated SUBHEAD with the data record. (170315011, 180416013, 180619072)
	WRAP calculations are incorrect when trying to determine what to fit on a page. For example, running a report that uses WRAP and OVER on an alphanumeric field with a very long text, the last text value is continued onto the next page, and the bottom border is not displayed when there is enough room to display the last value on the first page.
	While using Arial 8 font size in a PDF report, underlined data creates a larger space between the data values in the column. (180420006)
	Intermittent error occurs when signed in with Japanese or Russian language and executing an InfoApp. The error is due to missing the localized version of the /ibi_apps/ibi_html/javaassist/intl/RO/ROcomposertrans.js file. (180720069)
Th	e following are descriptions of fixes for security in WebFOCUS in Release 8.2 Version 04.
• • • •	e following are descriptions of fixes for security in Webi 0003 in Release 0.2 Version 04.
	Fixed the 403 Cross-Site Request Forgery (CSRF) failures when using Single Sign On and the Internet Bulk Filing System session is reestablished. (180419071, 180419072)
	Add enforcement of a Cross-Site Request Forgery (CSRF) token for the Change Password URL. (180611057)
	Fixed issue with HTTP 500 or HTTP 302 response when a ticket request fails using a GET request.
	The user cannot close the Successful Signon message when running an HTML file that issues a self-service sign-on. (171015002)
	Deferred Status returns the following error for a Cluster Load Management node: <i>NODExxxx</i> not defined (180419020)
	When a report is run deferred, additional characters are added to parameter names submitted with the deferred request. When a parameter name is 48 or more characters, the maximum length of the repository PROPERTY field that stores the parameter name is exceeded resulting in an error and the deferred request information cannot be written to the repository. (170710023)
	File names that contain exclamation points and percent signs do not display in application

12 Information Builders

folders. (180423047)

	When upgrading from Release 8.2.01M to Release 8.2.03, the list of users does not display in the Security Center when there are user names that exceed the maximum of 64 characters. (180608044)	
	Creating a user with a dollar sign as the last character in the username causes the Security Center to freeze. (180620059)	
	User receives the following error message when running a procedure and selecting Flatfile-WP format option: The Value of this Variable is Invalid! 'PG_File' (180502062)	
	Users are redirected to the portal page when logging out of a Security Assertion Markup Language environment. (180222090)	
	Validation of the IBIRS_groupPath parameter fails with an invalid value message. (180130057)	
	When SET DATEOUPUT=LOCALIZED is used to request date values in a localized date format and SET LANGUAGE is set to a value other than ENGLISH, a request with a WHERE filter on an English DATE value with a month name or week returns the following error: (FOC177) Invalid date constant (180615009, 171227005)	
	Updated jQuery to release 3.3.1, due to vulnerabilities in earlier version.	
Web Services		
TI 04	ne following is a description of a fix for Web Services in WebFOCUS in Release 8.2 Version 4.	
	The APPQUERYNESTED command mistakenly calls for the REST RUN function. (180710141)	

Feedback

Customer success is our top priority. Connect with us today!

Information Builders Technical Content Management team is comprised of many talented individuals who work together to design and deliver quality technical documentation products. Your feedback supports our ongoing efforts!

You can also preview new innovations to get an early look at new content products and services. Your participation helps us create great experiences for every customer.

To send us feedback or make a connection, contact Sarah Buccellato, Technical Editor, Technical Content Management at Sarah_Buccellato@ibi.com.

To request permission to repurpose copyrighted material, please contact Frances Gambino, Vice President, Technical Content Management at *Frances_Gambino@ibi.com*.

WebFOCUS

/ WebFOCUS Fixed-In Report

Release 8.2 Version 04



